



♥ Fabric Appliqué House Wall Hanging ♥

Step-by-Step Tutorial

Learn how to create this charming fabric appliqué house using simple sewing techniques. Finished size: 28 cm x 30 cm

SKILLS USED

- Appliqué
- Satin Stitch
- Straight Stitch
- Blanket Stitch
- Quilting

FINISHED SIZE




FABRIC & MATERIALS (USA)

- Cotton Fabric (100% quilting cotton): Various colors (see color guide below)
- Fusible Web (lightweight)
- Batting (US: Cotton or Polyester) 30 cm x 32 cm (12" x 12½")
- Backing Fabric: 30 cm x 32 cm (12" x 12½")
- Embroidery Thread (to match fabrics)
- Sewing Thread
- Appliqué Scissors
- Pins / Fabric Clips
- Water Soluble Pen or Fabric Marker
- Iron & Ironing Board

FABRIC COLOR GUIDE

House Front (orange tone)	Sky Background (light blue)
House Sides (brown tone)	Grass & Bushes (green)
Roof & Steps (purple/blue)	Hill / Ground (olive green)
Door (yellow)	
Chimney (yellow)	
Windows (golden yellow)	

PATTERN PIECES & MEASUREMENTS (IN CM)



SEAM ALLOWANCE

Use 0.7 cm (¼ inch) seam allowance unless otherwise noted.

STEP-BY-STEP INSTRUCTIONS

1 Prepare Pieces

Trace all pattern pieces onto the fusible web (rough side). Cut out leaving 0.3 cm around each piece.

2 Fuse

Iron fusible web onto the wrong side of each fabric piece. Let cool, then cut out on the fabric line.

3 Position

Place all pieces on the background (28 x 30 cm). Arrange as shown in the photo. Once happy, press lightly to hold.

4 Pin

Pin or use fabric clips to secure all pieces in place.

5 Appliqué

Sew around each piece using satin stitch or blanket stitch.

6 Add Details

Stitch window panes, door knob, and other accents using straight stitch or embroidery thread.

7 Layer Quilt

Place backing fabric (wrong side up), batting, quilt top (right side up). Smooth the layers.

8 Quilt

Quilt around the design (echo quilting) or add meandering quilting in the sky area.

9 Trim

Trim excess batting and backing even with the quilt top (28 x 30 cm).

10 Bind Edges

Cut binding strips 5 cm wide. Fold in half, press, and sew around all edges.

11 Finish

Hand stitch the binding to the back. Add a hanging sleeve if desired.

STITCH GUIDE

Satin Stitch Dense zigzag stitch that covers the edge.

Blanket Stitch Decorative edge stitch for visible edges.

Straight Stitch Use for details like window panes.

TIPS

- Use small stitches for smooth curves.
- Press frequently for a flat finish.
- Use contrasting thread for details to make them pop.
- Take your time and enjoy the process!

CARE INSTRUCTIONS

- Hand wash or gentle machine wash.
- Use mild detergent.
- Lay flat to dry.
- Do not bleach.


INSPIRATION

Try different color combinations and fabric prints to make it your own!



APPLIQUÉ HOUSE

TEMPLATE FOR SEWING
(SEAM ALLOWANCE INCLUDED)



INSTRUCTIONS:

1. Cut out all the pieces on the solid lines.
2. The dashed line is the 1/4 in (6 mm) seam allowance.
3. Position the pieces on your background fabric and appliqué using your preferred method.
4. Sew around the edges with a straight or decorative stitch.

<https://creative.craftsforlove.com/> - SEE THE BEST PATTERNS

Fabric Appliqué House Wall Hanging – Complete Step-by-Step Tutorial



Create a beautiful Fabric Appliqué House Wall Hanging using traditional quilting and appliqué techniques. This detailed tutorial is based on the pattern shown in the reference guide and is written for beginners and experienced quilters alike.

The finished wall hanging measures approximately 11" × 12" (28 cm × 30 cm) and uses simple quilting cotton fabrics, fusible appliqué, machine or hand stitching, and basic quilting methods.

This guide follows the complete construction process from preparing the pattern pieces to the final binding and hanging sleeve.

Materials and Supplies

Before beginning, gather all of the necessary materials.

Fabrics

- **100% Quilting Cotton**
- **Orange fabric (House Front)**
- **Brown fabric (House Sides)**
- **Purple/Blue fabric (Roof and Roof Trim)**
- **Yellow fabric (Door)**
- **Golden Yellow fabric (Windows)**
- **Yellow fabric (Chimney)**
- **Light Blue fabric (Sky Background)**
- **Olive Green fabric (Ground)**
- **Bright Green fabric (Bushes)**
- **White fabric (Clouds)**

Additional Supplies

- **Fusible Web (Lightweight)**
- **Cotton or Polyester Batting**
- **Backing Fabric (approximately 12" × 12½")**
- **Embroidery Thread**

- Sewing Thread
- Appliqué Scissors
- Fabric Scissors
- Rotary Cutter
- Cutting Mat
- Acrylic Ruler
- Straight Pins or Fabric Clips
- Water Soluble Fabric Marker
- Iron
- Ironing Board
- Sewing Machine
- Hand Sewing Needle

Finished Size

Finished project:

11" × 12" (28 cm × 30 cm)

Background fabric should be cut slightly larger to allow trimming after quilting.

Recommended background:

12" × 12½" (30 cm × 32 cm)

Fabric Color Guide

Use the following color layout to reproduce the original design.

- House Front – Orange
- House Sides – Brown
- Roof – Purple/Blue
- Roof Edge – Purple/Blue
- Door – Yellow
- Chimney – Yellow
- Windows – Golden Yellow

- Sky – Light Blue
- Clouds – White
- Bushes – Green
- Ground – Olive Green

Pattern Pieces

Prepare the following pattern pieces before beginning.

House Front

Cut:

- 1 piece

Approximate size:

- 13 cm wide
- 21 cm tall

House Sides

Cut:

- 2 mirrored pieces

Approximate size:

- 7 cm wide
- 11 cm tall

Roof

Cut:

- 1 main roof

Approximate size:

- 18 cm wide
- 13 cm high

Roof Edge

Cut:

- 2 pieces

Approximate width:

- 18 cm

Hill

Cut:

- 1 piece

Approximate width:

- 26 cm

Door

Cut:

- 1 piece

Approximate size:

- 3½" wide
- 6" high

Windows

Cut:

- 4 windows

Approximate size:

- 3" × 2½"

Chimney

Cut:

- 1 piece

Approximate height:

- 4"

Heart

Cut:

- 1 piece

Clouds

Cut:

- 2 pieces

Bushes

Cut:

- 2 pieces

Steps

Cut:

- 3 strips

Seam Allowance 

Unless otherwise noted, use:

1/4 inch (0.7 cm) seam allowance

Maintain this seam allowance throughout the project for consistent sizing.

Step 1 – Prepare the Pattern Pieces 

Print the pattern templates at 100% scale.

Do not resize the pattern.

Carefully cut out each paper template along the outer line.

Label every piece before tracing.

Using a fabric marker, trace every template onto the paper side of the fusible web.

Remember to reverse any pieces that require mirrored versions, such as the house sides.

Cut around each traced shape, leaving approximately 1/8 inch (3 mm) outside the drawn line.

This extra margin makes handling easier during fusing.

Step 2 – Apply Fusible Web

Place the rough side of the fusible web against the wrong side of each fabric.

Following the manufacturer's instructions, press with a dry iron.

Avoid moving the iron back and forth.

Instead, lift and press to prevent distortion.

Allow the fabric to cool completely.

Cut each shape exactly on the traced line.

Keep the paper backing attached until ready to assemble.

Step 3 – Prepare the Background

Cut the sky background slightly larger than the finished size.

Recommended size:

12" × 12½"

Press thoroughly until perfectly flat.

Lightly mark the center of the background using removable fabric marker.

These center lines will help position all appliqué pieces evenly.

Step 4 – Arrange the Design

Peel the paper backing from all appliqué pieces.

Begin arranging the elements.

Place the hill first.

Next position:

- **House Front**
- **House Sides**
- **Roof**
- **Roof Trim**
- **Door**
- **Windows**
- **Chimney**
- **Bushes**
- **Clouds**
- **Steps**
- **Heart**

Adjust everything until the composition matches the reference layout.

Leave balanced spacing around all sides.

Take your time during this stage.

Good placement makes the finished project much more attractive.

Step 5 – Fuse the Appliqué Pieces 🔥

Once satisfied with the arrangement, carefully press all pieces onto the background.

Start with the largest pieces.

Finish with the smallest details.

Allow the project to cool before moving it.

Check that every edge is securely bonded.

If any section lifts, repress before stitching.

Step 6 – Pin for Stitching 📌

Although the fusible web holds the pieces in place, adding a few pins or fabric clips helps prevent shifting while sewing.

Avoid placing pins where the sewing machine needle will pass.

Remove them as you sew.

Step 7 – Appliqué Stitching 🪡

Now permanently secure every appliqué piece.

Several stitch options work beautifully.

Satin Stitch

Perfect for bold decorative edges.

Produces a smooth, filled finish.

Ideal for:

- Roof
- Door
- House
- Bushes

Blanket Stitch

Creates a traditional handmade appearance.

Excellent for folk-art quilts.

Works especially well around:

- Clouds
- House
- Heart

Straight Stitch

Ideal for smaller details.

Use for:

- Window panes
- Decorative accents
- Chimney details

Sew slowly around all curves.

Reduce speed around tight corners.

Pivot frequently with the needle down for smooth edges.

Step 8 – Add Decorative Details ✨

This step gives the house personality.

Use embroidery thread to stitch:

- Window panes
- Door outline
- Door knob
- Decorative trim
- Chimney lines
- Roof accents

Optional embroidery can include:

- French Knots
- Back Stitch
- Running Stitch
- Small decorative stars
- Extra texture in the grass

Step 9 – Build the Quilt Sandwich

Layer the project in this order:

1. Backing fabric (right side down)
2. Batting
3. Appliqué top (right side up)

Smooth each layer carefully.

Remove wrinkles.

Pin or baste all three layers together.

The flatter the layers are now, the better the quilting will be later.

Step 10 – Quilt the Wall Hanging

Quilt around the appliqué shapes using echo quilting.

Keep quilting lines evenly spaced.

Suggested quilting areas:

- Around the roof
- Around the house
- Around the clouds
- Around the bushes

For the sky, stitch soft meandering or cloud-like quilting.

Avoid overly dense quilting.

The design should remain soft and dimensional.

Step 11 – Trim the Quilt

After quilting, trim away excess batting and backing.

Square the project carefully.

Final dimensions should measure:

11" × 12" (28 cm × 30 cm)

Use a quilting ruler to ensure perfectly straight edges.

Step 12 – Prepare the Binding

Cut binding strips:

2 inches (5 cm) wide

Join strips if necessary.

Press the strips in half lengthwise with wrong sides together.

Fold neatly.

Step 13 – Attach the Binding

Sew the binding to the front of the quilt.

Miter each corner carefully.

Fold the binding to the back.

Hand stitch the folded edge using an invisible ladder stitch or blind stitch.

Press lightly after completion.

Step 14 – Add a Hanging Sleeve (Optional) 🏠

If displaying the project on a wall:

Cut a sleeve approximately the width of the quilt.

Hem both short edges.

Fold lengthwise.

Sew the sleeve to the upper back edge by hand.

Leave enough room for a wooden dowel to slide through easily.

Step 15 – Final Press and Inspection ❤️

Give the completed wall hanging one final press.

Inspect every stitched edge.

Trim loose threads.

Check that:

- **All appliqué pieces are secure.**
- **Quilting is even.**
- **Binding lies flat.**
- **Corners are square.**
- **The hanging sleeve is securely attached.**

Your Fabric Appliqué House Wall Hanging is now complete and ready to display.

Stitch Guide

Satin Stitch

A dense zigzag stitch that completely covers the raw edge for a polished appliqué finish.

Blanket Stitch

A decorative edge stitch that secures appliqué while creating a traditional handcrafted appearance.

Straight Stitch

Used for decorative details such as window panes, door accents, and embroidery lines.

Helpful Tips

- **Press every step before moving to the next.**
- **Use sharp appliqué scissors for clean edges.**
- **Sew slowly around curves.**
- **Match thread colors to each fabric whenever possible.**
- **Test stitch settings on fabric scraps first.**
- **Use shorter stitches around small curves.**
- **Keep the quilt sandwich smooth while quilting.**
- **Remove fabric marker lines after finishing.**
- **Square the quilt before attaching the binding.**
- **Enjoy the process—precision and patience produce the best results.**

Care Instructions

- Hand wash or use a gentle machine cycle.
- Wash in cold water.
- Use mild detergent only.
- Do not bleach.
- Lay flat to dry.
- Press with a warm iron if needed.
- Store flat or hang away from direct sunlight to preserve the fabric colors.

Finished Project 🎉

Congratulations! You have completed a charming Fabric Appliqué House Wall Hanging using traditional appliqué and quilting techniques. This project makes a wonderful seasonal decoration, thoughtful handmade gift, or beautiful addition to any sewing room, entryway, or cozy home décor collection.